

OPEN WELL
entrance matting systems


HD35 OPEN LINE

HD35 OPEN is a heavy duty matting system, consisting of 31mm wide, box-shaped profiles with 1,2mm thickness, which are assembled with steel wires. This open construction allows drainage/water, dirt and grit to fall through open slots between the profiles. The construction with steel wires enables the mat to be easily rolled for cleaning. HD35 Open can be combined with HD50 Open in any combination, providing many design options for the customer.

HD35 OPEN BRUSH ACTIVE



HD35 OPEN RUBBER



HD35 OPEN CARPET



HD35 OPEN BRUSH



Construction type: Open

Load: Very heavy to extreme traffic

Suitability for wheeled traffic: Shopping carts, hand trucks and wheelchairs

Type of inserts: HD35 Carpet, HD35 Brush Active, HD35 Rubber, HD35 Brush, HD Scrapper, HD Slim brush


HD50 OPEN LINE

HD35 OPEN features 46mm wide, box-shaped profiles, with 1,2mm thickness, which exceed the static and dynamic loads needed for most applications. These wider carpet inserts provide the most effective cleaning and slip resistant surface possible. The open construction allows drainage/water, dirt and grit to fall through open slots between the profiles. The construction with steel wires enables the mat to be easily rolled for cleaning. HD50 Open can be combined with HD 35 Open in any combination, providing countless design options for the customer.

HD50 OPEN BRUSH ACTIVE



HD50 OPEN CARPET



Construction type: Open

Load: Very heavy to extreme traffic

Suitability for wheeled traffic: Shopping carts, hand trucks and wheelchairs

Type of inserts: HD35 Carpet, HD35 Brush Active, HD Scrapper, HD Slim brush


DUO LINE

HD35 OPEN consist of reversible (double faced) mats with remarkable strength and cleaning properties. The two "faces" give the mat almost double the lifespan and can be inverted at anytime if severe aesthetic damage, however unlikely, occurs on one side. When choosing between durability, aesthetics, cleaning and drainage is not an option, the DUO line of entrance flooring systems is the only choice.

DUO I19 MAT
DUO I26 MAT



DUO I19 GRID
DUO I26 GRID



Construction type: Open

Load: Very heavy to extreme traffic

Suitability for wheeled traffic: Shopping carts, hand trucks, wheelchairs and pallet jacks

Type of inserts: Duo I19 mat, Duo I26 mat, Duo I19 Grid, Duo I26 Grid



GREAT SELECTION AND MANY OPTIONS

All doormats from our series can be ordered in any combination of inserts, according to the cleaning properties, the application and the customer's preferences. Some of our systems can be combined to achieve a wide-narrow look and brighten up the entrance. All mats are custom and made to order to fit any size and shape.

QUALITY CONTROL

We use only selected, high quality components in our products. Every single part of our doormats is made in Europe, and comes with quality certificates. Before leaving our factory every single mat passes through extensive quality checks which take in account 8 different quality criteria.

5 YEARS WARRANTY

We are proud to offer a 5 (five) year warranty on all entrance mats from our series. Our mats can withstand the highest traffic conditions.

FAST PRODUCTION AND DELIVERY

Thanks to our trusted shipping network we are able to deliver fast and cost effectively throughout Europe. Most mats are produced within 2-3 days and are shipped via courier and reach their destination within 1-4 days.

REFERENCES

An extensive list of references is available upon request or on our website www.hddms.com.

www.hddms.com



HD DoorMatting Solutions

2 Kukush str, Telecom building
Sofia 1309, Bulgaria
tel. +359 2 439 79 11, fax. +359 2 439 79 12,
office@hddms.org, www.hddms.com

www.hddms.com